

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected natures of injury or illness, local government, 2012<sup>2</sup>

Part of body	Part of body code <sup>3</sup>	Local govern-ment <sup>4</sup>	Nature of injury or illness <sup>5</sup>							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacera-tions	Punctures			
Total .....		181,060	75,740	9,720	10,500	7,590	2,910	16,420	2,300	240
<b>Head</b> .....	1	11,330	—	400	2,230	2,190	30	1,940	160	160
Head, unspecified .....	10	1,990	—	30	380	370	—	620	—	—
Cranial region, including skull .....	11	2,760	—	60	290	280	—	430	—	—
Cranial region, unspecified .....	110	410	—	—	130	130	—	250	—	—
Brain .....	111	1,810	—	—	—	—	—	—	—	—
Scalp .....	112	380	—	—	150	150	—	120	—	—
Skull .....	113	100	—	60	—	—	—	30	—	—
Cranial region, n.e.c. .....	119	50	—	—	—	—	—	—	—	—
Ear(s) .....	12	190	—	—	—	—	—	—	50	—
Face .....	13	6,040	—	310	1,540	1,520	20	680	110	160
Face, unspecified .....	130	1,230	—	—	550	550	—	160	80	—
Forehead .....	131	390	—	—	180	170	—	120	—	—
Eye(s) .....	132	2,700	—	—	350	350	—	140	—	140
Nose, nasal cavity .....	133	320	—	150	60	60	—	50	—	—
Nose, except internal location of diseases or disorders .....	1330	320	—	150	60	60	—	50	—	—
Cheek(s) .....	134	60	—	—	—	—	—	20	—	—
Jaw, chin .....	135	90	—	—	—	—	—	30	—	—
Mouth .....	136	460	—	90	290	290	—	—	—	—
Lip(s) .....	1361	320	—	—	270	270	—	—	—	—
Tooth (teeth) .....	1363	110	—	90	—	—	—	—	—	—
Multiple face locations .....	138	690	—	40	80	80	—	90	—	—
Face, n.e.c. .....	139	100	—	—	—	—	—	50	—	—
Multiple head locations .....	18	340	—	—	20	20	—	210	—	—
<b>Neck, including throat</b> .....	2	2,660	1,930	—	20	—	—	40	—	—
Neck, except internal location of diseases or disorders ...	20	2,620	1,930	—	20	—	—	40	—	—
<b>Trunk</b> .....	3	39,120	25,470	1,190	80	50	30	1,620	170	—
Trunk, unspecified .....	30	210	70	—	—	—	—	30	—	—
Chest, including ribs, internal organs .....	31	2,890	520	690	20	—	20	430	20	—
Chest, except internal location of diseases or disorders .....	310	2,290	520	690	20	—	20	430	20	—
Internal chest location, unspecified .....	311	100	—	—	—	—	—	—	—	—
Heart .....	313	360	—	—	—	—	—	—	—	—
Lung(s), pleura .....	315	110	—	—	—	—	—	—	—	—
Back, including spine, spinal cord .....	32	29,790	22,340	240	—	—	—	460	120	—
Back, including spine, spinal cord, unspecified .....	320	11,780	8,700	140	—	—	—	120	—	—
Thoracic region .....	321	1,530	1,040	—	—	—	—	90	—	—
Lumbar region .....	322	15,210	11,790	50	—	—	—	140	—	—
Sacral region .....	323	130	100	—	—	—	—	—	—	—
Coccygeal region .....	324	220	—	30	—	—	—	90	—	—
Multiple back regions .....	328	860	640	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected natures of injury or illness, local government, 2012<sup>2</sup> — Continued

Part of body	Nature of injury or illness <sup>5</sup>							
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain	All other natures <sup>6</sup>
				Total	With fractures and other injuries	With sprains and other injuries		
Total .....	150	720	250	7,260	840	3,440	29,250	28,510
<b>Head</b> .....	—	—	—	360	30	20	920	5,130
Head, unspecified .....	—	—	—	80	—	—	450	450
Cranial region, including skull .....	—	—	—	50	—	—	90	1,840
Cranial region, unspecified .....	—	—	—	—	—	—	30	—
Brain .....	—	—	—	—	—	—	—	1,780
Scalp .....	—	—	—	—	—	—	50	40
Skull .....	—	—	—	—	—	—	—	—
Cranial region, n.e.c. .....	—	—	—	—	—	—	—	—
Ear(s) .....	—	—	—	—	—	—	20	110
Face .....	—	—	—	200	30	—	320	2,690
Face, unspecified .....	—	—	—	30	—	—	100	250
Forehead .....	—	—	—	20	—	—	—	50
Eye(s) .....	—	—	—	50	—	—	110	1,900
Nose, nasal cavity .....	—	—	—	—	—	—	30	20
Nose, except internal location of diseases or disorders .....	—	—	—	—	—	—	30	20
Cheek(s) .....	—	—	—	—	—	—	—	—
Jaw, chin .....	—	—	—	—	—	—	20	—
Mouth .....	—	—	—	—	—	—	20	60
Lip(s) .....	—	—	—	—	—	—	—	—
Tooth (teeth) .....	—	—	—	—	—	—	—	—
Multiple face locations .....	—	—	—	100	—	—	20	360
Face, n.e.c. .....	—	—	—	—	—	—	—	30
Multiple head locations .....	—	—	—	30	—	—	40	30
<b>Neck, including throat</b> .....	—	—	—	—	—	—	340	310
Neck, except internal location of diseases or disorders ...	—	—	—	—	—	—	340	260
<b>Trunk</b> .....	—	—	—	300	20	200	6,920	3,350
Trunk, unspecified .....	—	—	—	—	—	—	40	20
Chest, including ribs, internal organs .....	—	—	—	30	—	—	440	750
Chest, except internal location of diseases or disorders .....	—	—	—	30	—	—	440	140
Internal chest location, unspecified .....	—	—	—	—	—	—	—	100
Heart .....	—	—	—	—	—	—	—	360
Lung(s), pleura .....	—	—	—	—	—	—	—	110
Back, including spine, spinal cord .....	—	—	—	180	—	170	5,420	1,010
Back, including spine, spinal cord, unspecified .....	—	—	—	90	—	90	2,260	450
Thoracic region .....	—	—	—	—	—	—	160	110
Lumbar region .....	—	—	—	60	—	60	2,730	430
Sacral region .....	—	—	—	—	—	—	20	—
Coccygeal region .....	—	—	—	—	—	—	90	—
Multiple back regions .....	—	—	—	—	—	—	160	—

See footnotes at end of table.

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected natures of injury or illness, local government, 2012<sup>2</sup> — Continued

Part of body	Part of body code <sup>3</sup>	Local govern-ment <sup>4</sup>	Nature of injury or illness <sup>5</sup>							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacera-tions	Punctures			
Back, including spine, spinal cord, n.e.c. ....	329	60	—	—	—	—	—	—	—	—
Abdomen .....	33	2,440	550	—	40	40	—	70	20	—
Abdomen, except internal location of diseases or disorders .....	330	2,100	550	—	40	40	—	70	20	—
Internal abdominal location, unspecified .....	331	250	—	—	—	—	—	—	—	—
Intestines, peritoneum .....	335	70	—	—	—	—	—	—	—	—
Large intestine, colon, rectum .....	3353	60	—	—	—	—	—	—	—	—
Pelvic region .....	34	2,890	1,560	220	—	—	—	540	—	—
Pelvic region, unspecified .....	340	40	—	—	—	—	—	—	—	—
Hip(s) .....	341	1,070	340	170	—	—	—	280	—	—
Pelvis .....	342	60	—	40	—	—	—	—	—	—
Buttock(s) .....	343	300	40	—	—	—	—	230	—	—
Groin .....	344	1,320	1,120	—	—	—	—	20	—	—
External reproductive tract structures .....	345	30	—	—	—	—	—	—	—	—
Scrotum .....	3451	20	—	—	—	—	—	—	—	—
Multiple pelvic region locations .....	348	60	50	—	—	—	—	—	—	—
Pelvic region, n.e.c. ....	349	20	—	—	—	—	—	—	—	—
Multiple trunk locations .....	38	860	420	40	—	—	—	80	—	—
Trunk, n.e.c. ....	39	40	—	—	—	—	—	—	—	—
<b>Upper extremities</b> .....	<b>4</b>	<b>45,190</b>	<b>16,850</b>	<b>4,360</b>	<b>6,370</b>	<b>4,100</b>	<b>2,260</b>	<b>2,920</b>	<b>1,210</b>	<b>20</b>
Upper extremities, unspecified .....	40	30	20	—	—	—	—	—	—	—
Shoulder(s), including clavicle(s), scapula(e) .....	41	14,580	9,520	400	40	—	30	510	—	—
Arm(s) .....	42	8,020	2,330	1,360	640	250	390	730	430	—
Arm(s), unspecified .....	420	2,700	730	620	170	50	120	280	30	—
Upper arm(s) .....	421	930	490	120	20	—	—	30	60	—
Elbow(s) .....	422	2,140	730	390	40	40	—	270	—	—
Forearm(s) .....	423	1,390	170	210	380	120	260	130	300	—
Multiple arm locations .....	428	740	150	—	—	—	—	20	—	—
Multiple arm locations, unspecified .....	4280	100	60	—	—	—	—	—	—	—
Elbow(s) and arm(s) .....	4281	550	40	—	—	—	—	—	—	—
Multiple arm locations, n.e.c. ....	4289	90	50	—	—	—	—	20	—	—
Arm(s), n.e.c. ....	429	130	60	—	30	30	—	—	—	—
Wrist(s) .....	43	6,490	2,050	1,210	940	250	700	90	20	—
Hand(s) .....	44	12,940	1,930	1,230	4,630	3,570	1,070	1,460	460	—
Hand(s), unspecified .....	440	3,520	570	370	840	590	250	610	330	—
Hand(s), except finger(s) .....	441	780	60	150	280	180	100	80	70	—
Finger(s), fingernail(s) .....	442	7,500	1,240	680	3,040	2,330	700	430	30	—
Finger(s), fingernail(s), unspecified .....	4420	5,350	760	530	2,360	1,800	550	280	20	—
Fingernail(s), nailbed(s) .....	4421	120	—	30	20	—	—	—	—	—
Fingertip(s) .....	4422	420	70	—	70	70	—	50	—	—
Finger(s), fingernail(s), n.e.c. ....	4429	1,610	410	110	590	450	140	100	—	—
Hand(s) and finger(s) .....	448	660	50	—	110	110	—	320	20	—
Hand(s), n.e.c. ....	449	480	20	20	370	350	—	20	—	—
Multiple upper extremities locations .....	48	3,090	990	160	110	30	70	130	290	—

See footnotes at end of table.

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected natures of injury or illness, local government, 2012<sup>2</sup> — Continued

Part of body	Nature of injury or illness <sup>5</sup>							Soreness, pain	All other natures <sup>6</sup>		
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders							
				Total	With fractures and other injuries	With sprains and other injuries					
Back, including spine, spinal cord, n.e.c.	—	—	—	—	—	—	—	—	—		
Abdomen	—	—	—	—	—	—	300	1,440			
Abdomen, except internal location of diseases or disorders	—	—	—	—	—	—	300	1,110			
Internal abdominal location, unspecified	—	—	—	—	—	—	—	250			
Intestines, peritoneum	—	—	—	—	—	—	—	70			
Large intestine, colon, rectum	—	—	—	—	—	—	—	60			
Pelvic region	—	—	—	20	—	—	440	100			
Pelvic region, unspecified	—	—	—	—	—	—	—	—			
Hip(s)	—	—	—	20	—	—	200	50			
Pelvis	—	—	—	—	—	—	—	—			
Buttock(s)	—	—	—	—	—	—	30	—			
Groin	—	—	—	—	—	—	150	40			
External reproductive tract structures	—	—	—	—	—	—	20	—			
Scrotum	—	—	—	—	—	—	20	—			
Multiple pelvic region locations	—	—	—	—	—	—	—	—			
Pelvic region, n.e.c.	—	—	—	—	—	—	—	—			
Multiple trunk locations	—	—	—	20	—	20	270	20			
Trunk, n.e.c.	—	—	—	—	—	—	30	—			
<b>Upper extremities</b>	100	720	220	770	200	320	6,910	4,740			
Upper extremities, unspecified	—	—	—	—	—	—	—	—			
Shoulder(s), including clavicle(s), scapula(e)	—	—	40	50	20	30	2,720	1,310			
Arm(s)	—	—	50	100	40	50	1,400	970			
Arm(s), unspecified	—	—	—	30	—	—	400	440			
Upper arm(s)	—	—	—	—	—	—	60	130			
Elbow(s)	—	—	30	50	—	30	390	240			
Forearm(s)	—	—	—	—	—	—	50	130			
Multiple arm locations	—	—	—	20	—	—	480	20			
Multiple arm locations, unspecified	—	—	—	—	—	—	—	—			
Elbow(s) and arm(s)	—	—	—	—	—	—	480	—			
Multiple arm locations, n.e.c.	—	—	—	—	—	—	—	—			
Arm(s), n.e.c.	—	—	—	—	—	—	20	—			
Wrist(s)	—	720	80	90	—	70	760	520			
Hand(s)	100	—	30	300	120	50	1,080	1,700			
Hand(s), unspecified	—	—	30	50	—	30	360	370			
Hand(s), except finger(s)	—	—	—	40	—	—	—	90			
Finger(s), fingernail(s)	100	—	—	200	100	20	600	1,170			
Finger(s), fingernail(s), unspecified	30	—	—	120	40	—	430	830			
Fingernail(s), nailbed(s)	—	—	—	—	—	—	40	20			
Fingertip(s)	60	—	—	—	—	—	70	80			
Finger(s), fingernail(s), n.e.c.	—	—	—	80	60	—	60	250			
Hand(s) and finger(s)	—	—	—	20	—	—	90	40			
Hand(s), n.e.c.	—	—	—	—	—	—	20	—			
Multiple upper extremities locations	—	—	30	220	20	120	930	240			

See footnotes at end of table.

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected natures of injury or illness, local government, 2012<sup>2</sup> — Continued

Part of body	Part of body code <sup>3</sup>	Local govern-ment <sup>4</sup>	Nature of injury or illness <sup>5</sup>							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacera-tions	Punctures			
Multiple upper extremities locations, unspecified .....	480	80	—	—	—	—	—	—	—	—
Hand(s) and arm(s) .....	481	220	70	—	20	—	20	—	—	—
Hand(s) and arm(s), unspecified .....	4810	70	20	—	—	—	—	—	—	—
Hand(s) and elbow(s) .....	4811	40	—	—	—	—	—	—	—	—
Hand(s) and arm(s), n.e.c. ....	4819	110	20	—	—	—	—	—	—	—
Hand(s) and wrist(s) .....	482	580	180	50	20	—	—	20	—	—
Wrist(s) and arm(s) .....	483	270	60	70	—	—	—	—	—	—
Wrist(s) and arm(s), unspecified .....	4830	80	—	20	—	—	—	—	—	—
Wrist(s) and elbow(s) .....	4831	40	—	—	—	—	—	—	—	—
Wrist(s) and arm(s), n.e.c. ....	4839	150	40	40	—	—	—	—	—	—
Shoulder(s) and arm(s) .....	484	980	390	—	—	—	—	30	—	—
Multiple upper extremities locations, n.e.c. ....	489	960	290	—	50	—	40	50	250	—
Upper extremities, n.e.c. ....	49	40	—	—	—	—	—	—	—	—
<b>Lower extremities</b> .....	5	44,000	21,240	3,430	1,340	960	380	5,740	260	40
Leg(s) .....	51	25,390	12,240	850	1,000	750	250	3,780	60	20
Leg(s), unspecified .....	510	1,770	450	220	240	160	70	130	50	20
Thigh(s) .....	511	790	500	40	70	40	30	40	—	—
Knee(s) .....	512	20,360	10,200	270	550	490	60	3,360	—	—
Lower leg(s) .....	513	1,960	830	310	130	50	90	200	—	—
Multiple leg locations .....	518	420	250	30	—	—	—	40	—	—
Multiple leg locations, unspecified .....	5180	20	—	—	—	—	—	—	—	—
Knee(s) and leg(s) .....	5181	320	210	—	—	—	—	40	—	—
Multiple leg locations, n.e.c. ....	5189	70	40	—	—	—	—	—	—	—
Leg(s), n.e.c. ....	519	110	—	—	—	—	—	—	—	—
Ankle(s) .....	52	10,130	6,860	960	—	—	—	610	—	—
Foot (feet) .....	53	6,070	1,110	1,550	310	190	120	1,110	110	20
Foot (feet), unspecified .....	530	4,130	970	1,090	90	20	70	700	110	20
Sole(s) .....	531	380	80	30	30	—	30	30	—	—
Sole(s), unspecified .....	5310	40	—	—	30	—	20	—	—	—
Heel(s) .....	5313	310	80	20	—	—	—	30	—	—
Toes(s), toenail(s) .....	532	1,030	—	340	40	30	—	310	—	—
Multiple foot (feet) locations .....	538	320	—	—	130	130	—	30	—	—
Foot (feet), n.e.c. ....	539	210	50	80	—	—	—	40	—	—
Multiple lower extremities locations .....	58	2,400	1,030	70	20	—	—	240	80	—
Multiple lower extremities locations, unspecified .....	580	40	—	—	—	—	—	—	—	—
Foot (feet) and leg(s) .....	581	350	50	—	—	—	—	140	40	—
Foot(feet) and leg(s), unspecified .....	5810	80	20	—	—	—	—	—	40	—
Foot(feet) and knee(s) .....	5811	230	20	—	—	—	—	130	—	—
Foot(feet) and leg(s), n.e.c. ....	5819	40	—	—	—	—	—	—	—	—
Foot (feet) and ankle(s) .....	582	760	360	30	—	—	—	30	40	—
Ankle(s) and leg(s) .....	583	880	410	40	—	—	—	30	—	—
Ankle(s) and leg(s), unspecified .....	5830	150	100	—	—	—	—	—	—	—
Ankle(s) and knee(s) .....	5831	630	280	20	—	—	—	20	—	—
Ankle(s) and leg(s), n.e.c. ....	5839	100	30	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected natures of injury or illness, local government, 2012<sup>2</sup> — Continued

Part of body	Nature of injury or illness <sup>5</sup>							Soreness, pain	All other natures <sup>6</sup>		
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders							
				Total	With fractures and other injuries	With sprains and other injuries					
Multiple upper extremities locations, unspecified .....	—	—	—	—	—	—	30	—			
Hand(s) and arm(s) .....	—	—	—	60	—	—	20	30			
Hand(s) and arm(s), unspecified .....	—	—	—	—	—	—	—	—			
Hand(s) and elbow(s) .....	—	—	—	—	—	—	—	—			
Hand(s) and arm(s), n.e.c. .....	—	—	—	50	—	—	—	—			
Hand(s) and wrist(s) .....	—	—	20	—	—	—	210	60			
Wrist(s) and arm(s) .....	—	—	—	20	—	—	90	—			
Wrist(s) and arm(s), unspecified .....	—	—	—	—	—	—	30	—			
Wrist(s) and elbow(s) .....	—	—	—	—	—	—	—	—			
Wrist(s) and arm(s), n.e.c. .....	—	—	—	—	—	—	50	—			
Shoulder(s) and arm(s) .....	—	—	—	90	—	80	360	80			
Multiple upper extremities locations, n.e.c. .....	—	—	—	40	20	—	220	60			
Upper extremities, n.e.c. .....	—	—	—	—	—	—	30	—			
<b>Lower extremities</b> .....	—	—	20	900	100	480	6,780	4,240			
Leg(s) .....	—	—	20	370	—	140	4,030	3,040			
Leg(s), unspecified .....	—	—	—	—	—	—	320	340			
Thigh(s) .....	—	—	—	—	—	—	80	50			
Knee(s) .....	—	—	20	260	—	140	3,150	2,550			
Lower leg(s) .....	—	—	—	30	—	—	380	80			
Multiple leg locations .....	—	—	—	20	—	—	60	—			
Multiple leg locations, unspecified .....	—	—	—	—	—	—	—	—			
Knee(s) and leg(s) .....	—	—	—	20	—	—	40	—			
Multiple leg locations, n.e.c. .....	—	—	—	—	—	—	20	—			
Leg(s), n.e.c. .....	—	—	—	—	—	—	50	—			
Ankle(s) .....	—	—	—	120	—	110	1,140	440			
Foot (feet) .....	—	—	—	180	50	70	1,000	660			
Foot (feet), unspecified .....	—	—	—	80	20	—	730	330			
Sole(s) .....	—	—	—	—	—	—	80	100			
Sole(s), unspecified .....	—	—	—	—	—	—	—	—			
Heel(s) .....	—	—	—	—	—	—	80	90			
Toes(s), toenail(s) .....	—	—	—	50	—	40	110	170			
Multiple foot (feet) locations .....	—	—	—	30	—	—	60	60			
Foot (feet), n.e.c. .....	—	—	—	—	—	—	—	—			
Multiple lower extremities locations .....	—	—	—	230	30	160	600	110			
Multiple lower extremities locations, unspecified .....	—	—	—	20	—	—	—	—			
Foot (feet) and leg(s) .....	—	—	—	60	—	50	30	—			
Foot(feet) and leg(s), unspecified .....	—	—	—	—	—	—	—	—			
Foot(feet) and knee(s) .....	—	—	—	50	—	50	20	—			
Foot(feet) and leg(s), n.e.c. .....	—	—	—	—	—	—	—	—			
Foot (feet) and ankle(s) .....	—	—	—	—	—	—	270	—			
Ankle(s) and leg(s) .....	—	—	—	130	20	100	200	60			
Ankle(s) and leg(s), unspecified .....	—	—	—	—	—	—	—	—			
Ankle(s) and knee(s) .....	—	—	—	80	—	70	190	—			
Ankle(s) and leg(s), n.e.c. .....	—	—	—	50	20	20	—	—			

See footnotes at end of table.

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected natures of injury or illness, local government, 2012<sup>2</sup> — Continued

Part of body	Part of body code <sup>3</sup>	Local government <sup>4</sup>	Nature of injury or illness <sup>5</sup>							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Multiple lower extremities locations, n.e.c. ....	589	370	200	—	—	—	—	30	—	—
<b>Body systems</b> .....	6	5,810	—	—	—	—	—	—	—	—
<b>Multiple body parts</b> .....	8	31,130	9,990	320	330	270	70	4,050	490	20
Multiple body parts, unspecified .....	80	3,070	1,330	—	80	80	—	450	—	—
Head and neck .....	81	500	90	—	70	30	—	20	20	—
Head, neck, and trunk .....	82	230	60	—	—	—	—	—	—	—
Head and trunk .....	83	400	—	—	—	—	—	50	—	—
Neck and back .....	84	2,890	1,910	—	—	—	—	210	—	—
Shoulder(s) and back .....	85	830	620	—	—	—	—	20	—	—
Hip(s) and leg(s) .....	86	410	160	—	—	—	—	20	—	—
Upper and lower limb(s) .....	87	2,820	240	40	70	60	—	770	—	—
Other multiple body parts .....	89	19,970	5,590	240	120	100	20	2,500	450	20
Whole body .....	891	60	—	—	—	—	—	—	—	—
Multiple body parts, n.e.c. ....	899	19,910	5,590	240	120	100	20	2,500	450	20

See footnotes at end of table.

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected natures of injury or illness, local government, 2012<sup>2</sup> — Continued

Part of body	Nature of injury or illness <sup>5</sup>							Sore-ness, pain	All other natures <sup>6</sup>		
	Amputa-tions	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders							
				Total	With fractures and other injuries	With sprains and other injuries					
Multiple lower extremities locations, n.e.c. ....	—	—	—	—	—	—	90	40			
<b>Body systems</b> .....	—	—	—	—	—	—	—	—	5,800		
<b>Multiple body parts</b> .....	—	—	—	4,900	490	2,420	7,200	3,830			
Multiple body parts, unspecified .....	—	—	—	340	20	270	650	220			
Head and neck .....	—	—	—	140	—	90	100	60			
Head, neck, and trunk .....	—	—	—	20	—	—	90	50			
Head and trunk .....	—	—	—	90	40	20	230	30			
Neck and back .....	—	—	—	90	—	70	560	100			
Shoulder(s) and back .....	—	—	—	30	—	30	150	—			
Hip(s) and leg(s) .....	—	—	—	30	—	20	130	60			
Upper and lower limb(s) .....	—	—	—	670	30	220	610	430			
Other multiple body parts .....	—	—	—	3,510	390	1,680	4,670	2,880			
Whole body .....	—	—	—	—	—	—	20	40			
Multiple body parts, n.e.c. ....	—	—	—	3,500	390	1,680	4,660	2,840			

See footnotes at end of table.

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected natures of injury or illness, local government, 2012<sup>2</sup> — Continued

Part of body	Part of body code <sup>3</sup>	Local government <sup>4</sup>	Nature of injury or illness <sup>5</sup>							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
<b>Nonclassifiable .....</b>	9999	1,810	260	—	140	—	130	110	—	—

See footnotes at end of table.

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected natures of injury or illness, local government, 2012<sup>2</sup> — Continued

Part of body	Nature of injury or illness <sup>5</sup>							
	Amputa-tions	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Sore-ness, pain	All other natures <sup>6</sup>
				Total	With fractures and other injuries	With sprains and other injuries		
<b>Nonclassifiable</b> .....	-	-	-	20	-	-	160	1,100

<sup>1</sup> Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

<sup>2</sup> Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2012. This table includes corrected estimates. For additional information see: [https://www.bls.gov/bls/errata/iif\\_errata\\_1014.htm](https://www.bls.gov/bls/errata/iif_errata_1014.htm).

<sup>3</sup> Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

<sup>4</sup> Excludes farms with fewer than 11 employees.

<sup>5</sup> Data shown in columns correspond to the following Nature codes: Sprains, strains, tears = 123; Fractures = 111; Cuts, lacerations, punctures, Total = 132-133; Cuts, lacerations = 132; Punctures = 133; Bruises, contusions = 143; Heat burns = 152; Chemical burns = 151; Amputations = 1311; Carpal tunnel syndrome = 2241; Tendonitis (other or unspecified) = 2735; Multiple traumatic injuries and illnesses, Total = 18; With fractures and other injuries = 183; With sprains and other injuries = 182; Soreness, pain = 1972; All other natures = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

<sup>6</sup> Includes nonclassifiable responses.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.